

Connecting Cook County ADA TRANSITION PLAN July 23, 2021

Honorable Toni Preckwinkle, President, Cook County Board of Commissioners

Tanya Anthony, Chief Administrative Officer, Bureau of Administration

Jennifer "Sis" Killen, P.E., PTOE Acting Superintendent, Department of Transportation and Highways





Connecting Cook County ADA Transition Plan July 23, 2021

Honorable Toni Preckwinkle, President, Cook County Board of Commissioners

Jennifer "Sis" Killen, P.E., PTOE Acting Superintendent, Department of Transportation and Highways

ADA Coordinator CCDOTH 69 W. Washington Street, Suite 2300 Chicago, IL 60602 Attn: Mr. Andrew Werner, P.E. <u>ADA.Coordinator@cookcountyil.gov</u>



COOK COUNTY Beyond Transportation

Table of Contents

Introduction	
Accessibility Law	6
Mandate	
Rehabilitation Act of 1973	6
Americans with Disabilities Act	7
Accessibility Guidelines for Pedestrian Facilities in the Public Right-of-Way	7
Purpose and Need	7
LRTP Transportation Principles	8
1. Prioritize Transit and Promote Equal Access to Opportunity	
2. Promote Equal Access to Opportunity	
3. Maintain and Modernize What Already Exists	
ADA Coordinator	9
Public Outreach	
Complaint Procedure	
Who May File a Complaint	
How to File a Complaint	14
Complaint Processing	15
ADA Complaint Record Retention	15
Design Standards, Specifications, and Details	
Self-Evaluation	
Inventory	
Compliance Improvement Schedule	20
Prioritization	

Figures

Figure 1. Image from Online Cook County Highway Map Tables	
Table 1. County Maintained Highways Database Appendix	
Appendix A: Public Notice	
Appendix B: Public Input Form	24
Appendix C: Public Outreach Contact	
Appendix D: Public Outreach Feedback	
Appendix E: ADA Accessibility Complaint Form	
Appendix F: ADA /PROWAG Inspection Sheet	
Appendix G: Condition Map	
Appendix H: Prioritization Maps	
Appendix H-1: Population Density	
Appendix H-2: Senior Population Density	
Appendix H-3: Disabled Population Density	
Appendix H-4: Distance from Schools and Hospitals	
Appendix H-5: Distance from Rail Stations	
Appendix I: Maximum Extent Practicable (MEP)	
Appendix J: Heat Map of Location-Based Priority Form	



Introduction

Cook County's transportation system is one of its greatest assets, having a central – even dominant – role in the national and international movement of people and goods.¹ Building upon the goals and initiatives set forth in the Connecting Cook County Long Range Transportation Plan (LRTP, 2017), the Cook County Department of Transportation and Highways (DoTH) is committed to strengthening its facilities for all users, with an emphasis on pedestrians². The DoTH's Americans with Disabilities Act (ADA) Transition Plan is intended to identify and outline the goals, objectives, and actions to ensure that all of its facilities, services, programs, and activities in the public right-of-way (ROW) are accessible to all individuals.

This document addresses features under the jurisdiction of the Cook County Department of Transportation and Highways (DoTH) within the public right-of-way (ROW) only. Non-DoTH public facilities under Cook County's jurisdiction are not considered to be included in the scope of work for this document. The DoTH ADA Transition Plan is designed as a living document to be updated frequently to reflect improvements to the Cook County highway infrastructure. If you have any comments, concerns, questions, or would like to file a complaint, please follow the **procedures** outlined within this document. ADA/PROWAG compliance of sidewalks within highways under County jurisdiction, but maintained by others, shall be included in the self-evaluation of the municipalities where the highway (or highway segment) is located.

¹ Cook County, Connecting Cook County 2040 Long Range Transportation Plan, p. 5

² Cook County, Connecting Cook County 2040 Long Range Transportation Plan, p. 51



Accessibility Law

Mandate

Regulations implementing Title II of the Americans with Disabilities Act and section 504 of the Rehabilitation Act of 1973, discussed below, require that each public agency conduct a self-evaluation and develop a Transition Plan that ensures accessible facilities are provided in the public right-of-way. As part of its self-evaluation, DoTH identified barriers to accessibility and considered how the barriers to accessibility will be addressed. The DoTH Transition Plan, in part, sets out the priorities, cost, and schedule for physical improvements for the public right-of-way.

Rehabilitation Act of 1973

The Rehabilitation Act of 1973 (the "Act") was the first disability civil rights law to be enacted in the United States. The Act prohibits discrimination on the basis of disability in programs conducted by Federal agencies, in Federal employment, in the employment practices of Federal contractors and, under section 504 of the Act, in programs receiving Federal financial assistance. Section 504 protects not only qualified individuals with disabilities who apply to and participate in such programs, but also job applicants and employees of the organizations that provide them. This landmark legislation is widely considered to have paved the way for the enactment of the Americans with Disabilities Act.

Americans with Disabilities Act

On July 26, 1990, President George H.W. Bush signed into law the Americans with Disabilities Act (ADA), a comprehensive civil rights law prohibiting discrimination on the basis of disability. The ADA broadly protects the rights of individuals with disabilities in employment, access to State and local government services, places of public accommodation, transportation, and other important areas of American life. The ADA also requires newly designed and constructed or altered State and local government facilities, public accommodations, and commercial facilities to be readily accessible to and usable by individuals with disabilities. Title II of the ADA protects qualified individuals with disabilities from discrimination on the basis of disability in services, programs, and activities provided by State and local government entities. Title II extends the prohibition on discrimination established by section 504 of the Rehabilitation Act, as amended, 29 U.S.C. 794, to all activities of State and local governments regardless of whether these entities receive Federal financial assistance. 42 U.S.C. 12131B65.

Accessibility Guidelines for Pedestrian Facilities in the Public Right-of-Way

The Proposed Accessibility Guidelines for Pedestrian Facilities in the Public Right-of-Way (PROWAG) provides minimum standards for newly designed and constructed public streets and sidewalks, as well as existing public rights-of-way if they are altered. The types of pedestrian facilities covered by PROWAG include, but are not limited to, pedestrian street crossings, curb ramps, detectable warning surfaces and pedestrian access routes. While not yet an enforceable standard under the ADA, PROWAG is regarded as a recommended best practice and its standards inform the DoTH ADA Transition Plan.


The Public Notice describes DoTH's compliance with the ADA. A copy of the Public Notice can be found in <u>Appendix A</u> of this document, and posted on the DoTH website at:

https://www.cookcountyil.gov/sites/default/files/ada_public_notice_20210323.pdf

Purpose and Need

This ADA Transition Plan document serves to evaluate DoTH policies, programs, and facilities within the public ROW to ensure compliance with the latest accessibility guidelines to fulfill the requirements of Section 504 of the Rehabilitation Act of 1973 and Title II of the Americans with Disabilities Act (ADA) of 1990. This document is also structured to complement and promote the goals of the Cook County Long Range Transportation Plan (LRTP), which prioritizes pedestrians, transit and other transportation alternatives, promotes equal access, and maintains & modernizes existing facilities within the public ROW.





LRTP Transportation Principles

The ADA Transition Plan complements and promotes the following priorities of the Cook County Long Range Transportation Plan (LRTP):

1. Prioritize Transit and Promote Equal Access to Opportunity

Unequal access to a complete transit system adversely impacts residents. This plan will improve access to transit by providing compliant facilities that can be utilized by citizens with disabilities.

2. Promote Equal Access to Opportunity

Even in areas where most residents are effectively served by the transportation system, there are hundreds of thousands of persons with disabilities, seniors, and parents with small children for whom proximity to transportation options is inadequate. The LRTP calls for redesigning the existing streets and intersections to provide enhanced mobility for bicycling, walking, transit, seniors, families with young children and those with disabilities by adding bike lanes, sidewalks and improved compatibility with bus traffic.

3. Maintain and Modernize What Already Exists

The LRTP describes how current infrastructure can also be modernized. Infrastructure modernization should include updates that meet the requirements in this ADA Transition Plan. One of the priorities outlined in the LRTP is "Moving People", and implementing the ADA Transition Plan helps to accomplish that priority. Improving and maintaining infrastructure such as curb ramps is essential to the connection of people between their homes, multiple modes of transportation, and their destinations. The introduction of ADA-compliant facilities helps modernize the current infrastructure and meet the needs outlined in the County's ADA Transition Plan.





"

Improving and maintaining infrastructure such as curb ramps is essential to the connection of people between their homes, multiple modes of transportation, and their destinations.

"





ADA Coordinator

DoTH has dedicated an employee to facilitate the ADA compliance program across the DoTH transportation system. This ADA Coordinator serves as a point of contact for internal staff and the general public who may have questions, comments, or concerns regarding ADA accessibility. In addition, the ADA Coordinator responds to complaints/comments, implements and assesses the self-evaluation, and ensures that the established *ADA Transition Plan* is followed and updated, as needed. Contact information for DoTH's ADA Coordinator is as follows:

Mail correspondence to: ADA Coordinator Cook County Department of Transportation and Highways 69 W. Washington Street, Suite 2300 Chicago, IL 60602 Attn: Mr. Andrew Werner, P.E.

> Telephone: (312) 603-1598

Email: ADA.Coordinator@cookcountyil.gov



Public Outreach

DoTH recognizes that public participation is an important component in the development of an effective ADA Transition Plan. DoTH welcomes public input and encourages comments and suggestions, especially those from individuals with disabilities and/or organizations representing individuals with disabilities. The public may submit comments by completing the Public Input Form (<u>Appendix B</u>) and mailing it to our office:

ADA Coordinator

Cook County Department of Transportation and Highways

69 W. Washington Street, Suite 2300

Chicago, IL 60602

Attn: Mr. Andrew Werner, P.E.



Public comments may also be submitted digitally via email to <u>ADA.Coordinator@cookcountyil.gov</u>. Alternative formats of comment submission may also be requested for any person with a disability or their representative. Comments should contain as much information as possible, including references to specific location(s) and concern(s). For legal reasons, the submitter must also provide their name and contact information in order to facilitate follow-up communication and responses with the DoTH, as needed.

DoTH will maintain a record of persons and organizations consulted during the development of the ADA Transition Plan, see (<u>Appendix C</u>). Public feedback received will be documented and included as part of updated versions of the ADA Transition Plan (<u>Appendix D</u>).





Complaint Procedure

If users of Cook County facilities and services believe that reasonable accommodation in the public rightof-way has not been provided, they have the right to file a complaint. DoTH partners with municipalities for resolution to create reasonable connections between intersections. If complaints involve those segments of pedestrian access not under DoTH maintenance/jurisdiction, we attempt to contact the responsible entity and alert them of the complaint. In accordance with <u>28 C.F.R § 35.107(b)</u>, DoTH has developed a complaint procedure for the purpose of the prompt and equitable resolution or referral of citizens' complaints, concerns, comments, and other grievances.

Who May File a Complaint

Any person who believes that they have been excluded from participation in, denied the benefits of, or otherwise subjected to discrimination under any DoTH service, program, activity, or facility may file a complaint. A complaint may also be filed by a representative on behalf of such a person.

"

While not yet an enforceable standard under the ADA, PROWAG is regarded as a recommended best practice and its standards inform the DoTH ADA Transition Plan

"

How to File a Complaint

A complainant shall submit a complaint within sixty days of the incident or identification of the complaint. The complaint may be filed in any of the following methods:



MAIL:

Complaints may be submitted via mail by filling out the *ADA Accessibility Complaint Form* found in <u>Appendix E</u>. Forms should be mailed to the following address:

Cook County Department of Transportation and Highways Attn: ADA Coordinator 69 W. Washington Street, Suite 2300 Chicago, IL 60602



EMAIL:

Completed ADA Accessibility Complaint Forms may also be submitted via email to: <u>ADA.Coordinator@cookcountyil.gov</u>

പ
-
1

ONLINE:



TELEPHONE:

Information can also be submitted by telephone by calling (312) 603-1598. The ADA Coordinator will incorporate the information into a formal complaint on the caller's behalf.



REPRESENTATIVE:

Any person with a disability or their representative may request to file a complaint using an alternative format.

Complaint Processing

DoTH will acknowledge complaints received and will process them once the identity of the complainant is established. If the complaint filed does not concern a DoTH facility, the ADA Coordinator will notify the complainant and attempt to forward it to the appropriate government or private entity.

Within sixty calendar days of receipt, DoTH will investigate to determine the validity of the alleged violation. If appropriate, DoTH will arrange to meet with the complainant to discuss the matter and attempt to reach a resolution of the complaint.

If a resolution of the complaint is not reached, a written determination of the complaint shall be issued by DoTH and a copy forwarded to the complainant.

The resolution of any specific complaint will require consideration of varying circumstances, such as:

- The nature of the access to services, programs, or facilities at issue and the essential eligibility requirements for participation
- > The health and safety of the general public
- The degree to which an accommodation would constitute a fundamental alteration to the program, service, or facility, or cause undue hardship to DoTH

Accordingly, the resolution by DoTH of any one complaint does not constitute a precedent upon which DoTH is bound or upon which other complaining parties may rely.

ADA Complaint Record Retention

The ADA Coordinator shall keep a record of all complaints filed for non-compliance with the Americans with Disabilities Act (1990) and Section 504 of the Rehabilitation Act of 1973 for a minimum of three years following the date of case closure. Electronic records will be retained for an additional eight years, then deleted from the system, provided all audits have been completed, and no litigation is pending or anticipated.






Design Standards, Specifications, and Details

Repairs and improvements performed by DoTH within DoTH right-of-way will be designed in accordance to the PROWAG and ADA design standards in effect at that time. Currently, DoTH employs the ADA design standards developed and adopted by the Illinois Department of Transportation (IDOT). These standards shall be applied for meeting ADA compliance for projects within the public right-of-way under DoTH jurisdiction, with the following modifications:

- ADA ramp cross-slopes are to be designed at a maximum slope of 1.5%, so as not to exceed 2% during construction.
- As of April 13, 2021, CCDOTH uses detectable warnings composed of cast iron or steel.

The standard drawings and specifications that DoTH references for ADA ramp design can be found on IDOT's website. These IDOT standards closely reflect the *Proposed Accessibility Guidelines for Pedestrian Facilities in the Public Right-of-Way (PROWAG)*, developed by the United States Access Board as best practice for design.

Where local standards, policy or code require that design criteria exceed PROWAG or IDOT standards, then the local design criteria should be applied.




Self-Evaluation

DoTH's inventory of existing ADA facilities within the public right-of-way at intersections maintained by the County was performed in June 2017. Staff recorded locations, conditions, and barriers limiting accessibility via ground survey for:

- curb ramps
- crosswalks
- pedestrian signals
- pedestrian signal activation buttons

Using the ADA/PROWAG Inspection Sheet found in <u>Appendix F</u>, each item was evaluated and measured across various parameters and recorded digitally into the DoTH master database. A county-wide overview of these facilities can be found on the map in <u>Appendix G</u>.

Figure 1. Image from Online Cook County Highway Map



Each piece of ADA infrastructure will be classified as either "compliant" or "non-compliant" based on IDOT and PROWAG standards. The non-compliant items will be added to a schedule of improvement and prioritized according to DoTH procedure identified within Compliance Improvement Schedule section and the prioritization maps shown in <u>Appendix H</u>, where the darkest shaded areas represent areas with the highest priority. Periodic reviews will be conducted to ensure that the inventory database is as up-to-date as possible. New deficiencies will be scheduled and prioritized accordingly for improvement.

As non-compliant items are improved, they will be re-assessed and updated within the DoTH's database. Resident Engineers will be required to complete new ADA/PROWAG Inspection Sheets for all newly constructed ADA improvements for collection and inclusion within the DoTH database.

It should be noted that under DoTH policy, sidewalks located within Cook County highway right-of-way are typically the responsibility of the municipality within which the sidewalk is located. As such, ADA/PROWAG compliance of sidewalks within highways under County jurisdiction, but maintained by others, shall be included in the self-evaluation of the municipalities where the highway (or highway segment) is located. One segment of sidewalk does fall under DoTH maintenance jurisdiction: a small segment located along Lake Cook Road near Waukegan Road within Northfield Township, will be inventoried and improved to meet IDOT / PROWAG ADA compliance standards under the maintenance jurisdiction of DoTH.

Similarly, transit stops, and shelters located within Cook County highway right-of-way are the responsibility of the transit authority and/or municipality within which the facility is located. As such, ADA/PROWAG compliance of transit stops and shelters located on highways under County jurisdiction, but owned and maintained by others, shall be included in the self-evaluation of the transit authority and/or municipality where the highway (or highway segment) is located.

Public Cook County facilities will not be included in this inventory.

For a map of the Cook County highway system coded by jurisdiction and maintenance responsibility, please access the County's website at:

https://maps.cookcountyil.gov/hwyjurisdiction/

"

Resident Engineers will be required to complete new ADA/PROWAG Inspection Sheets for all newly constructed ADA improvements for collection and inclusion within the DoTH database



Inventory

A self-evaluation of County-maintained highways was performed on June 14, 2017. Highways located within the City of Chicago have not been included within the DoTH database, as those facilities are included in that city's maintenance inventory. Frontage roads under the jurisdiction and maintenance of DoTH are also not included in the 2017 inventory and will be assessed during the next field survey period.

The database will be updated by the ADA Coordinator as facilities are brought up to compliance. The current compliance status of facilities within DoTH maintenance jurisdiction are shown in the table below:

	Curb Ramps	Crosswalks	Pedestrian Push Buttons
Compliant	549	3,971	1,882
Non-Compliant	8,510	593	174
Missing ⁽¹⁾	70	N/A	N/A
MEP ⁽²⁾	0	0	0
TOTAL	9,129	4,564	2,056

Table 1. County Maintained Highways Database

(1) Indicates that a curb ramp is not located where one is warranted. Does not apply to crosswalks or pedestrian push buttons. This data has not yet been collected and may not be complete. (2) Maximum Extent Practicable (MEP). Indicates that this feature is not fully compliant, but due to circumstances beyond the feasible limits of design, full compliance cannot be accomplished.

A color-coded map showing curb ramp locations based on current condition is in Appendix G.


Compliance Improvement Schedule


DoTH is committed to providing accessible curb ramps, crosswalks, and traffic signal facilities throughout its roadway system. Recognizing and rectifying the existing barriers identified during the self-evaluation process will require scheduling and prioritization within the County's multi-year program. Funds will be dedicated every year towards ADA improvement projects until full compliance is achieved. The Department is considering a timeframe goal of 25 years to make all facilities fully compliant to the maximum extent feasible. Non-compliant facilities will be addressed at a rate of approximately 1/25th of the current inventory per year over the next 25 years.

The funding and scheduling of these improvements will continue concurrent with CCDOTH's yearly construction program. Assets may be improved through various activities, including routine maintenance, Capital maintenance & rehabilitation projects, and spot improvements addressing specific issues related to complaints and/or emergencies. Funding of these projects will be via the Cook County Annual Capital Improvement Program (MFT funds), Federal grants, State aid, and intergovernmental agreements.

Additionally, the ADA Coordinator will review all permits and improvement plans created by other agencies that impact DoTH facilities covered under this document for compliancy prior to construction. Upon completion of the improvement, status of compliance will be recorded by the ADA Coordinator and the inventory will be updated accordingly.

If fulfilling ADA compliance at a specific location per PROWAG standards is determined to be technically infeasible, the County will document and support the efforts and design used to improve conditions to the maximum extent practicable (MEP). If required, the Maximum Extent Practicable (MEP) form, an example of which is included in <u>Appendix I</u>, will be submitted through the ADA Coordinator. Approved MEP forms will be stored with the ADA Coordinator and the incidence will be noted in the Transition Plan.






Prioritization

Improvements to meet system-wide ADA compliance within the public right-of-way will be prioritized according to the following factors:

- Coordination with projects within the DoTH construction program
- Public Input/Complaints
- Total Population Density
- Senior Population Density
- Disabled Population Density
- Distance from Schools & Hospitals
- Distance from Public Rail Stations

County maps illustrating each of DoTH's prioritization factors are located in <u>Appendix H</u> (Appendices H-1 through H-5). A supplemental heat map showing location-based priority can be found in <u>Appendix J</u>.



ADA Transition Plan Appendix A: Public Notice

Honorable Toni Preckwinkle, President, Cook County Board of Commissioners

Jennifer "Sis" Killen, P.E., PTOE Acting Superintendent, Department of Transportation and Highways

ADA Coordinator CCDOTH 69 W. Washington Street, Suite 2300 Chicago, IL 60602 Attn: Mr. Andrew Werner, P.E. <u>ADA.Coordinator@cookcountyil.gov</u>





Notice Under the Americans with Disabilities Act

In accordance with the requirements of title II of the Americans with Disabilities Act (ADA) of 1990, the Cook County Department of Transportation and Highways (DoTH) will not discriminate against qualified individuals with disabilities on the basis of disability in its services, programs, or activities.

Employment: The Cook County Department of Transportation and Highways does not discriminate on the basis of disability in its hiring or employment practices and complies with all regulations promulgated by the U.S. Equal Employment Opportunity Commission under Title I of the ADA.

Effective Communication: The Cook County Department of Transportation and Highways will generally, upon request, provide appropriate aids and services leading to effective communication for qualified persons with disabilities so they can participate equally in DoTH programs, services, and activities, including qualified sign language interpreters, documents in Braille, and other ways of making information and communications accessible to people who have speech, hearing, or vision impairments.

Modifications to Policies and Procedures: The Cook County Department of Transportation and Highways will make all reasonable modifications to policies and programs to ensure that people with disabilities have an equal opportunity to enjoy all of its programs, services, and activities. For example, individuals with service animals are welcome in DoTH offices, even where pets are generally prohibited.

Anyone who requires an auxiliary aid or service for effective communication, or a modification of policies or procedures to participate in a program, service, or activity of DoTH, should contact the office of the ADA Coordinator as soon as possible but no later than 48 hours before the scheduled event.

The ADA does not require DoTH to take any action that would fundamentally alter the nature of its programs or services or impose an undue financial or administrative burden.

The Cook County Department of Transportation and Highways will not place a surcharge on a particular individual with a disability or any group of individuals with disabilities to cover the cost of providing auxiliary aids/services or reasonable modifications of policy, such as retrieving items from locations that are open to the public but are not accessible to persons who use wheelchairs.

Complaints that a program, service, or activity of DoTH is not accessible to persons with disabilities should be directed to the ADA Coordinator. Their contact information is presented below:

ADA Coordinator Cook County Department of Transportation and Highways 69 W Washington Street Chicago, IL 60602

> Telephone: (312) 603-1598 Email: ADA.Coordinator@cookcountyil.gov

Appendix A: Public Notice

ADA Transition Plan Appendix B: Public Input Form

Honorable Toni Preckwinkle, President, Cook County Board of Commissioners

Jennifer "Sis" Killen, P.E., PTOE Acting Superintendent, Department of Transportation and Highways

ADA Coordinator CCDOTH 69 W. Washington Street, Suite 2300 Chicago, IL 60602 Attn: Mr. Andrew Werner, P.E. ADA.Coordinator@cookcountyil.gov





Public Input Form

Complete & return form to the Cook County Dept. of Trans. & Highways ADA Coordinator:

69 W. Washington St., Suite 2300, Chicago, IL 60602 Or scan and email to: <u>ADA.Coordinator@cookcountyil.gov</u> Information can also be taken via telephone upon request.

Describe the date/time & location of the incident, issue, or condition. Be as detailed as possible and provide specific information regarding location (city, street, side of road, bridge, intersection, facility, orientation, etc.).
Describe in detail the nature of the complaint (include all parties involved). Attach additional pages, photos, documents if necessary.
If this has been filed with another private, federal, state, local agency, or legal entity. Provide details here:

Contact information:

We may contact you to clarify your comments or provide additional assistance.

First Name:	Last Name:	
Facility/Organization:		
Address:		
City:		
State:	Zip:	
Phone Number:		
Email:		

Signature		Date	
DoTH USE ONLY	Date Received		



ADA Transition Plan Appendix C: Public Outreach Contact

Honorable Toni Preckwinkle, President, Cook County Board of Commissioners

Jennifer "Sis" Killen, P.E., PTOE Acting Superintendent, Department of Transportation and Highways

ADA Coordinator CCDOTH 69 W. Washington Street, Suite 2300 Chicago, IL 60602 Attn: Mr. Andrew Werner, P.E. <u>ADA.Coordinator@cookcountyil.gov</u>






Dates identifying the most recent contact and feedback on the *ADA Transition Plan* between DoTH and pertinent organizations are listed below. The following list is not intended to be comprehensive of service organizations serving Cook County.

Agency Or Facility Name	Service Focus	Contacted	Feedback
Access Living of Metropolitan Chicago	Disability Independence		
Alexander Graham Bell Elementary School	Deaf & Hard of Hearing School		
Autism Speaks Chicago	Autism Advocacy		
Avenues to Independence	Disability Independence		
Center on Deafness	Deaf & Hard of Hearing		
Chicago Hearing Society	Deaf & Hard of Hearing		
The Chicago Lighthouse	Blind, Visually Impaired, Disabled		
Chicago Metropolitan Agency for Planning	Government Planning		
Child's Voice	Hearing Loss School		
Children of Peace Catholic School - Deaf/Hard of Hearing Program	Deaf & Hard of Hearing School		
City of Chicago, Mayor's Office for People with Disabilities	Municipality		
Clearbrook	Disability Independence		
Coalition of Citizens with Disabilities in Illinois	Disability Advocacy		
Community Alternatives Unlimited	Disability Assistance		
Community Service Options	Disability Independence		
Equip for Equality	Disability Advocacy		
Friedman Place	Blind & Visually Impaired Community		
Great Lakes ADA Center	ADA Advocacy		
Hadley Institute for the Blind & Visually Impaired	Blind & Visually Impaired School		
Illinois Association of the Deaf	Deaf & Hard of Hearing		
Little City	Disability Assistance		
Misericordia	Disability Community		
Park Lawn	Disability Community		
Progress Center for Independent Living	Disability Independence		
Southwest Cook County Cooperative Association for Special Education	Disability School		
Statewide Independent Living Council of Illinois	Government Planning		
Swoboda Deaf Center	Deaf & Hard of Hearing		
UCP Seguin of Greater Chicago	Cerebal Palsy Assistance		

Appendix C: Public Outreach Contact



ADA Transition Plan Appendix D: Public Outreach Feedback

Honorable Toni Preckwinkle, President, Cook County Board of Commissioners

Jennifer "Sis" Killen, P.E., PTOE Acting Superintendent, Department of Transportation and Highways

ADA Coordinator CCDOTH 69 W. Washington Street, Suite 2300 Chicago, IL 60602 Attn: Mr. Andrew Werner, P.E. <u>ADA.Coordinator@cookcountyil.gov</u>





No feedback has been received as of March 2021.

Appendix D: Public Outreach Feedback



ADA Transition Plan Appendix E: ADA Accessibility Complaint Form

Honorable Toni Preckwinkle, President, Cook County Board of Commissioners

Jennifer "Sis" Killen, P.E., PTOE Acting Superintendent, Department of Transportation and Highways

ADA Coordinator CCDOTH 69 W. Washington Street, Suite 2300 Chicago, IL 60602 Attn: Mr. Andrew Werner, P.E. ADA.Coordinator@cookcountyil.gov





ADA Accessibility Complaint Form

Complete & return form to the Cook County Dept. of Trans. & Highways ADA Coordinator:

69 W. Washington St., Suite 2300, Chicago, IL 60660

Or scan and email to: <u>ADA.Coordinator@cookcountyil.gov</u>

Information can also be taken via telephone or personal interview upon request.

Note that this form pertains to Cook County public right-of-way only, including roadways and bridges. Complaints pertaining to discrimination due to other means will be forwarded to the pertinent Departments. Not all public locations are Cook County facilities. If applicable, complaints will be directed to the appropriate jurisdictional entity. Use the back of this sheet or additional pages as needed.


Describe the date/time & location of the incider provide specific information regarding location orientation, etc.).		
Describe in detail the nature of the complaint (photos, documents if necessary.	include all parties involved). Attach additie	onal pages,
If this has been filed with another private, fede	ral, state, local agency, or legal entity. Prov	vide details here:

Contact information:

We may contact you to clarify your comments or provide additional assistance.

First Name:		Last Name:	
Facility/Organization:			
Address:			
City:			
State:		Zip:	
Phone Number:			
Email:			

Signature		Date	
DoTH USE ONLY	Date Received		



Honorable Toni Preckwinkle, President, Cook County Board of Commissioners

Jennifer "Sis" Killen, P.E., PTOE Acting Superintendent, Department of Transportation and Highways

ADA Coordinator CCDOTH 69 W. Washington Street, Suite 2300 Chicago, IL 60602 Attn: Mr. Andrew Werner, P.E. ADA.Coordinator@cookcountyil.gov







ADA / PROWAG Inspection Sheet

	Route:	Date:							
	Cross Streets:	· · · · ·	Inspector:						NI
	City/Township:	Checked by:							
	County:	Job No	o.:						
	ID:								
		RAMP	RAMP	RAMP	RAMP	RAMP	RAMP	RAMP	RAMP
	Curb Ramp (CR) Questions (check box for yes)								
1	Is there a sidewalk leading up to the corner?								
2	Does the CR have detectable warnings? If yes, answer 3, 4, & 5								
3	Are the detectable warnings properly placed?								
4	Are the detectable warnings in good condition?								
5	Do the detectable warnings provide good color contrast?								
6	If there is concrete or another walking surface adjacent to the sides of the CR, does the ramp have side flares? If yes, answer 7.								
7	Indicate the maximum slope of the side flares (%)								
8	If there is a built-up CR, is it outside of the vehicle path?								
9	If there is a marked crosswalk, is the CR contained within it?								
10	Are all slope transitions (including gutter) flush and level ($\frac{1}{4}$ " max or those between $\frac{1}{4}$ " & $\frac{1}{2}$ " beveled at a 1:2 slope)?								
11	Is there a min. clear space of 4' x 4' at the bottom of the ramp within width of ped street crossing & outside parallel vehicle travel lane?								
12	Is a minimum turning space provided at the top of the ramp meeting these requirements? 4' x 4' if unconstrained - 4' x 5' in direction of ramp if constrained. If a space is provided, continue to 13								
13	Is the maximum cross slope of the turning space $\leq 2.00\%$?								
14	Is the minimum width of the CR \ge 48"? If no, answer 15								
15	Record minimum width of CR (inches)								
16	Is the maximum cross slope of CR \leq 2.00%? If no, answer 17								
17	Record maximum cross slope of CR (%)								
18	Is the maximum CR running slope \leq 8.3%? If no, answer 19								
19	Record maximum CR running slope (%)								

	Curb Ramp (CR) Questions (check box for yes)	RAMP	RAMP	RAMP	RAMP	RAMP	RAMP	RAMP	RAMP
20	Is the maximum CR gutter slope ≤ 5.00%?								
21	Is the minimum width of adjacent walk \geq 48"?								
	Curb Ramp (CR) Questions (check box for yes)	RAMP	RAMP	RAMP	RAMP	RAMP	RAMP	RAMP	RAMP
22	Is the maximum cross slope of adjacent walk $\leq 2.00\%$?								
23	Is the maximum running slope of adjacent walk \leq 5.00% or \leq adjacent roadway grade?								
24	Is the surface or any horizontal opening of the CR compliant?								
Following	g questions to be filled out by office personnel:			1					
25	Record Illinois State Curb Ramp Condition Rating (1 – 4)								
26	Record Illinois State Curb Ramp User Rating (1 – 4)								
			SI	DE	Т				
	Sidewalk Questions (check box for yes)					_			
27	Is there sidewalk along this segment? If yes, answer 28–31					-			
28	Does sidewalk meet maximum cross slope requirements?					_			
29	Does sidewalk meet maximum running grade requirements?					_			
30	Does sidewalk meet minimum width requirements?					_			
31	Does the surface condition meet requirements?								
			EAST	SOUTH	WEST	OTHER	OTHER	OTHER	OTHER
	Crosswalk Questions(check box for yes)	NORTH LEG	LEG	LEG	LEG				
32	Crosswalk Questions(check box for yes) Is the crosswalk marked? If yes, continue to 33			LEG	LEG				
32 33	Is the crosswalk marked? If yes, continue to 33 Record minimum width of crosswalk (inches)	LEG	LEG	_	-				
	Is the crosswalk marked? If yes, continue to 33	LEG	LEG	_	-				
33	Is the crosswalk marked? If yes, continue to 33 Record minimum width of crosswalk (inches) If no yield or stop control, is the cross slope ≤ 5.00% or if yield or stop control, is cross								
33 34	Is the crosswalk marked? If yes, continue to 33 Record minimum width of crosswalk (inches) If no yield or stop control, is the cross slope ≤ 5.00% or if yield or stop control, is cross slope ≤ 2.00%? If no for either, continue to 35								
33 34 35	Is the crosswalk marked? If yes, continue to 33 Record minimum width of crosswalk (inches) If no yield or stop control, is the cross slope $\leq 5.00\%$ or if yield or stop control, is cross slope $\leq 2.00\%$? If no for either, continue to 35 Record maximum cross slope of crosswalk (%)								
33 34 35 36	Is the crosswalk marked? If yes, continue to 33 Record minimum width of crosswalk (inches) If no yield or stop control, is the cross slope ≤ 5.00% or if yield or stop control, is cross slope ≤ 2.00%? If no for either, continue to 35 Record maximum cross slope of crosswalk (%) Is the running slope (grade) of the crosswalk ≤ 5.00%? If no, continue to 37								
33 34 35 36 37	Is the crosswalk marked? If yes, continue to 33 Record minimum width of crosswalk (inches) If no yield or stop control, is the cross slope $\leq 5.00\%$ or if yield or stop control, is cross slope $\leq 2.00\%$? If no for either, continue to 35 Record maximum cross slope of crosswalk (%) Is the running slope (grade) of the crosswalk $\leq 5.00\%$? If no, continue to 37 Record maximum running slope (grade) of crosswalk (%) Is the surface smooth, firm, stable, slip-resistant?								
33 34 35 36 37	Is the crosswalk marked? If yes, continue to 33 Record minimum width of crosswalk (inches) If no yield or stop control, is the cross slope ≤ 5.00% or if yield or stop control, is cross slope ≤ 2.00%? If no for either, continue to 35 Record maximum cross slope of crosswalk (%) Is the running slope (grade) of the crosswalk ≤ 5.00%? If no, continue to 37 Record maximum running slope (grade) of crosswalk (%)		LEG						
33 34 35 36 37 38	Is the crosswalk marked? If yes, continue to 33 Record minimum width of crosswalk (inches) If no yield or stop control, is the cross slope ≤ 5,00% or if yield or stop control, is cross slope ≤ 2.00%? If no for either, continue to 35 Record maximum cross slope of crosswalk (%) Is the running slope (grade) of the crosswalk ≤ 5.00%? If no, continue to 37 Record maximum running slope (grade) of crosswalk (%) Is the surface smooth, firm, stable, slip-resistant? Traffic Equipment Questions (check box for yes)	LEG				Constant of the second se			
33 34 35 36 37 38 38 39	Is the crosswalk marked? If yes, continue to 33 Record minimum width of crosswalk (inches) If no yield or stop control, is the cross slope ≤ 5.00% or if yield or stop control, is cross slope ≤ 2.00%? If no for either, continue to 35 Record maximum cross slope of crosswalk (%) Is the running slope (grade) of the crosswalk ≤ 5.00%? If no, continue to 37 Record maximum running slope (grade) of crosswalk (%) Is the surface smooth, firm, stable, slip-resistant? Traffic Equipment Questions (check box for yes) Are there traffic signals?	LEG							
33 34 35 36 37 38 39 40	Is the crosswalk marked? If yes, continue to 33 Record minimum width of crosswalk (inches) If no yield or stop control, is the cross slope ≤ 5.00% or if yield or stop control, is cross slope ≤ 2.00%? If no for either, continue to 35 Record maximum cross slope of crosswalk (%) Is the running slope (grade) of the crosswalk ≤ 5.00%? If no, continue to 37 Record maximum running slope (grade) of crosswalk (%) Is the surface smooth, firm, stable, slip-resistant? Traffic Equipment Questions (check box for yes) Are there traffic signals? Are there pedestrian signals? If yes, continue to 41–44	LEG	LEG						
33 34 35 36 37 38 38 39 40 41 42	Is the crosswalk marked? If yes, continue to 33 Record minimum width of crosswalk (inches) If no yield or stop control, is the cross slope ≤ 5.00% or if yield or stop control, is cross slope ≤ 2.00%? If no for either, continue to 35 Record maximum cross slope of crosswalk (%) Is the running slope (grade) of the crosswalk ≤ 5.00%? If no, continue to 37 Record maximum running slope (grade) of crosswalk (%) Is the surface smooth, firm, stable, slip-resistant? Traffic Equipment Questions (check box for yes) Are there traffic signals? Are there pedestrian signals? If yes, continue to 41–44 Is there a ped push button within MUTCD recommended area? Is APS installed?	LEG	LEG						
33 34 35 36 37 38 39 40 41	Is the crosswalk marked? If yes, continue to 33 Record minimum width of crosswalk (inches) If no yield or stop control, is the cross slope ≤ 5,00% or if yield or stop control, is cross slope ≤ 2.00%? If no for either, continue to 35 Record maximum cross slope of crosswalk (%) Is the running slope (grade) of the crosswalk ≤ 5.00%? If no, continue to 37 Record maximum running slope (grade) of crosswalk (%) Is the surface smooth, firm, stable, slip-resistant? Traffic Equipment Questions (check box for yes) Are there traffic signals? Are there pedestrian signals? If yes, continue to 41–44 Is there a ped push button within MUTCD recommended area?	LEG	LEG	Image: Control of the second secon					

Appendix F: ADA /PROWAG Inspection Sheet



ADA Transition Plan Appendix G: Condition Map

Honorable Toni Preckwinkle, President, Cook County Board of Commissioners


Jennifer "Sis" Killen, P.E., PTOE Acting Superintendent, Department of Transportation and Highways

ADA Coordinator CCDOTH 69 W. Washington Street, Suite 2300 Chicago, IL 60602 Attn: Mr. Andrew Werner, P.E. <u>ADA.Coordinator@cookcountyil.gov</u>





Map of Curb Ramp Locations Color Coded by Condition Severity



ADA Inventory / Current Conditions Curb Ramp Condition Survey

Appendix G: Condition Map



ADA Transition Plan Appendix H: Prioritization Maps

Honorable Toni Preckwinkle, President, Cook County Board of Commissioners


Jennifer "Sis" Killen, P.E., PTOE Acting Superintendent, Department of Transportation and Highways

ADA Coordinator CCDOTH 69 W. Washington Street, Suite 2300 Chicago, IL 60602 Attn: Mr. Andrew Werner, P.E. ADA.Coordinator@cookcountyil.gov







Cook County, Illinois Population Density excluding City of Chicago



Cook County, Illinois Senior Population Density excluding City of Chicago




Cook County, Illinois Disabled Population Density excluding City of Chicago




Appendix H-4: Distance from Schools and Hospitals

Cook County, Illinois Distance from Schools and Hospitals







Appendix H: Prioritization Maps



Honorable Toni Preckwinkle, President, Cook County Board of Commissioners

Jennifer "Sis" Killen, P.E., PTOE Acting Superintendent, Department of Transportation and Highways

ADA Coordinator CCDOTH 69 W. Washington Street, Suite 2300 Chicago, IL 60602 Attn: Mr. Andrew Werner, P.E. ADA.Coordinator@cookcountyil.gov





This form (IDOT Form BDE 3101) can also be found at the address below: <u>https://idot.illinois.gov/Assets/uploads/files/IDOT-Forms/BDE/BDE%203101.pdf</u>


Illinois Departme	nt			回過4回 1973年3月								
of Transportation		nt Form	ILINIAL INTERNATIONAL INTERNATIONALI INTERNATIONAL INTERNATI	電線車								
Route Street	<u></u>	Marked	Contract #	State Job #								
Section	County		Municip	ality								
Project Limits												
Project Length												
Estimate of Cost	Type of Project (e.	.g. SMART, 3R, Reconstr	uction)									
Brief Project Description												
	DOCUMENTATION	OF MAXIMUM EXTENT P	RACTICABLE (MEP)									
Location(s) where MEP is Requested												
Design Element for which MEP is I	Requested and Prop	osed Design Value										
Design Element Policy Value	Co	ordination Meeting Date	Prepared By	Date								
Specify and Explain Reason(s) wh	y Full Compliance is	Infeasible										
Structural (e.g. bridge beams, bu	ildings, basements, fo	oundations)										
Historic Preservation (e.g. histori	c buildings, districts, n	nonuments)										
Topography (e.g. steep existing r	oad grade exceeds A	DA compliant maximum)										
Utilities (Project scope would not	otherwise require utili	ty relocation)										
Right-of-Way (Project scope would not otherwise require R.O.W)												
U Other												
Discuss Alternatives Considered (Attach supporting de	ocumentation, e.g. plan a	nd profile sheets, photos)									
	А	PPROVAL/DISAPPROVA	L									
BDE Approval Date		E	DE Disapproval Date									
BDE Comments on Disapproval												

Printed 4/4/17

Page 1 of 1

BDE 3101 (Rev. 04/15/16)

Appendix I: Maximum Extent Practicable (MEP)



ADA Transition Plan Appendix J: Heat Map of Location-Based Priority Form

Honorable Toni Preckwinkle, President, Cook County Board of Commissioners

Jennifer "Sis" Killen, P.E., PTOE Acting Superintendent, Department of Transportation and Highways


ADA Coordinator CCDOTH 69 W. Washington Street, Suite 2300 Chicago, IL 60602 Attn: Mr. Andrew Werner, P.E. ADA.Coordinator@cookcountyil.gov





Heat Map Location-Based Priority

ADA Inventory / Current Conditions Heat Map of Curb Ramp Locations Based on Location Priority



Appendix J: Heat Map of Location-Based Priority

Project brought to you by: ADA Coordinator CCDOTH 69 W. Washington Street, Suite 2300 Chicago, IL 60602 Attn: Mr. Andrew Werner, P.E. <u>ADA.Coordinator@cookcountyil.gov</u>